

REFERENCES FOR POLYPHARMACY TOOLS

Ad Hoc Committee on Health Literacy for the Council on Scientific Affairs, American Medical Association (1999). Health Literacy: Report of the Council on Scientific Affairs. *JAMA* 281(6): 552-557.

ASCP Update (2000). IOM: medical errors responsible for 44,000 deaths. ASCP Update: *The Monthly Newsletter of the American Society of Consultant Pharmacists* (January 2000): 1-5.

Avorn J, and Gurwitz JH (1996). Principles of pharmacology. In: Cassel KC (ed). *Geriatric Medicine*, 3rd ed. New York, Springer: 55-70.

Beard K (1992). Adverse reactions as a cause of hospital admissions in the aged. *Drugs Aging* 2: 356-367.

Beers MH (ed) (2005). Clinical Pharmacology, In: *The Merck Manual of Geriatrics*, 3rd ed. www.merck.com/mrkshared/mmg/sec1/ch6/ch6a.jsp

Beyth RJ, and Shorr RL (2002). Principles of drug therapy in older patients: rational drug prescribing. *Clin Geriatr Med* 18: 577-592.

Bootman JL, Harrison DL, and Cox E (1997). The health care cost of drug-related morbidity and mortality in nursing facilities. *Arch Intern Med* 157: 2089-2096.

Bressler R, and Bahl JJ (2003). Principles of Drug Therapy for the Elderly Patient. *Mayo Clin Proc* 78: 1564-1577.

Bushardt RL, and Jones, KW (2005). Nine key questions to address polypharmacy in the elderly. *J Am Acad Physician Assistants* 18(5): 32-37.

Cannon KT, Choi MM, and Zuniga MA (2006). Potentially inappropriate medication use in elderly patients receiving home health care: a retrospective data analysis. *Am J Geriatr Pharmacother* 4(2): 134-143.

Canterbury District Health Board (2002). *Drug Information Service – Macrolide Antibiotics*

Caskie GI, and Willis SL (2004). Congruence of self-reported medications with pharmacy prescription records in low income older adults. *Gerontologist* 44(2): 176-185.

Cockcroft DW, and Gault MH (1976). Prediction of creatinine clearance from serum creatinine. *Nephron* 16: 31-41.

Conry M (2005). Care Teams Provide Model for Community Care. *Geriatric Times* 2(1)

DiGangi, P (2006). Polypharmacy in Older Adults. *Contemporary Oral Hygiene* (February 2006)

REFERENCES FOR POLYPHARMACY TOOLS

Drug-Nutrient Interaction Task Force, Warren Grant Magnuson Clinical Center, National Institutes of Health (2003). *Important information to know when you are taking: Coumadin® and Vitamin K.*

Fick DM, Cooper JW, Wade WE, Waller JL, Maclean JR, and Beers MH (2003). Updating the Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *Arch Intern Med* 163: 2716-2724.

Fouts M, Hanlon J, Pieper C, Perfetto E, and Feinberg J (1997). Identification of elderly nursing facility residents at high risk for drug-related problems. *Consult Pharm* 12: 1103-1111.

Frazier SC (2005). Health Outcomes and Polypharmacy in Elderly Individuals. *J Gerontol Nurs* 31(9): 4-11.

French DG (1996). Avoiding Adverse Drug Reactions in the Elderly Patient: Issues and Strategies. *Nurse Practitioner* 21(9): 90-105.

Fugh-Berman A (2000). Herb-drug interactions. *Lancet* 255: 134-138.

Gallagher P, Barry P, and O'Mahony D (2007). Inappropriate prescribing in the elderly. *J Clin Pharmacy Therapeut* 32: 113-121.

Goldberg RM, Mabee J, Chan L, and Wong S (1996). Drug-drug and drug-disease interactions in the ED: analysis of a high-risk population. *Am J Emerg Med* 14: 447-450.

Gurwitz JH, Field TS, Harrold LR, Rothschild J, Debellis K, Seger AC, Cadoret C, Fish LS, Garber L, Kelleher M, and Bates DW (2003). Incidence and preventability of adverse drug events among older persons in the ambulatory setting. *JAMA* 289(9): 1107-1116.

Hamdy RC, Moore SW, Whalen K, Donnelly JP, Compton R, Testerman F, Haulsee P, and Hughes J (1995). Reducing polypharmacy in extended care. *South Med J* 88(5): 534-538.

Hanlon JT, Schmader KE, Koronkowski MJ, Weinberger M, Landsman PB, Samsa GP, and Lewis IK (1997). Adverse drug events in high risk older outpatients. *J Am Geriatr Society* 45(8): 945-948.

Hanlon JT, Schmader KE, Samsa GP, Weinberger M, Uttech KM, Lewis IK, Cohen HJ, and Feussner JR (1992). A method for assessing drug therapy appropriateness. *J Clin Epidemiol* 45(10): 1045-1051.

Hayes BD, Klein-Schwartz W, and Barrueto Jr F (2007). Polypharmacy and the Geriatric Patient. *Clin Geriatr Med* 23: 371-390.

Hilmer SN (2008). The dilemma of polypharmacy. *Aust Prescr* 31: 2-3.

Jyrkka J, Vartiainen L, Hartikainen S, Sulkava R, and Enlund H (2006). Increasing use of medicines in elderly persons: a five-year follow-up of the Kuopio 75+ Study. *Eur J Clin Pharmacol* 62(2): 151-158.

Kane RL, Ouslander JG, Abrass I (1999). Drug therapy. In: Kane RL, Ouslander JG, Abrass I, eds. *Essentials of Clinical Geriatrics, 4th ed.* New York, McGraw-Hill: 379-411.

REFERENCES FOR POLYPHARMACY TOOLS

Kaufman DW, Kelly JP, Roseberg L, Anderson TE, and Mitchell AA (2002). Recent patterns of medication use in the ambulatory adult population of the United States. *JAMA* 287: 337-344.

Kuijpers MA, van Marum RJ, Egberts AC, and Jansen PA (2008). Relationship between polypharmacy and underprescribing. *Br J Clin Pharmacol* 65: 130-133.

Liu BA, and Jackson LD (2008). Drug Prescribing in the Older Patient. In: Physicians' Information and Education Resource, American College of Physicians. (<http://pier.acponline.org/physicians/diseases/d1057/d1057.html>)

McLeod PJ, Huang AR, Tamblyn RM, and Gayton DC (1997). Defining inappropriate practices in prescribing for elderly people: a national consensus panel. *Can Med Assoc J* 156(3): 385-391.

Montamat SC, Cusack BJ, and Vestal RE (1989). Management of drug therapy in the elderly. *New Engl J Med* 321: 303-309.

Naugler CT, Brymer C, Stolee P, and Arcese ZA (2000). Development and validation of an Improved Prescribing in the Elderly Tool. *Can J Clin Pharmacol* 7(2): 103-107.

Nolan L, and O'Malley K (1988). Prescribing for the elderly. Part I: Sensitivity of the elderly to adverse drug reactions. *J Am Geriatr Society* 36(2): 142-149.

Ohio Department of Aging (2007). *Adverse Drug-Drug and Food-Drug Medication Interactions*. (<http://ohioline.osu.edu/ss-fact/0129.html>)

Osterberg L, and Blaschke T (2005). Drug Therapy: Adherence to Medication. *New Engl J Med* 353(5): 487-587.

Pham CB, and Dickman RL (2007). Minimizing Adverse Drug Events in Older Patients. *Am Fam Physician* 76: 1837-1844.

Salzman C (1995). Medication compliance in the elderly. *J Clin Psychiatry* 56 (Suppl. 1): 18-22.

Samsa GP, Hanlon JT, Schmader KE, Weinberger M, Clipp EC, Uttech KM, Lewis IK, Landsman PB, and Cohen HJ (1994). A summated score for the Medication Appropriateness Index: Development and assessment of clinimetric properties including content validity. *J Clin Epidemiol* 47(8): 891-896.

Shrank WH, Polinski JM, and Avorn J (2007). Quality Indicators for Medication Use in Vulnerable Elders. *J Am Geriatr Society* 55: S373-S382.

Spinewine A, Dumont C, Mallet L, and Swine C (2006). Medication Appropriateness Index: Reliability and recommendations for future use. *J Am Geriatr Society* 54(4): 720-722.

Zagarria MA (2000). Pharmaceutical care of the older patient. *US Pharmacist* (February 2000): 94-95.