



**Seniors Health Research Transfer Network (SHRTN)  
SHRTN Library Service**

**Réseau de transfert de la recherche sur la santé des personnes âgées (RTRSPA)  
Service bibliothèque de RTRSPA**

**Topical Recommended Reading List : November 2011  
Lectures recommandées sur un sujet particulier : Novembre 2011**

**Falls Prevention / La Prévention des chutes**

1. Beauchet, O., et al. **How to manage recurrent falls in clinical practice: Guidelines of the French Society of Geriatrics and Gerontology.** J Nutr Health Aging. 2011; 15(1): 79-84.
2. Bongue, B., et al. **A screening tool with five risk factors was developed for fall-risk prediction in community-dwelling elderly.** J Clin Epidemiol. 2011; 64(10): 1152-60.
3. Brown, L.A., White, P., Doan, J.B., de Bruin, N. **Selective attentional processing to fall-relevant stimuli among older adults who fear falling.** Exp Aging Res. 2011; 37(3): 330-45.
4. Callisaya, M.L. et al. **Gait, gait variability and the risk of multiple incident falls in older people: a population-based study.** Age Ageing. 2011; 40(4): 481-7.
5. Clyburn, T.A., Heydemann, J.A. **Fall prevention in the elderly: Analysis and comprehensive review of methods used in the hospital and in the home.** J Am Acad Orthop Surg. 2011; 19(7):402-9.
6. Dickinson, A., et al. **Fall prevention in the community: What older people say they need.** Br J Community Nurs. 2011; 16(4): 174-80.
7. Fabre, J.M., Ellis, R., Kosma, M., Wood, R.H. **Falls risk factors and a compendium of falls risk screening instruments.** J Geriatr Phys Ther. 2010; 33(4): 184-97.
8. Grimm, D., Mion, L.C. **Falls resulting in traumatic injury among older adults: nursing care issues.** AACN Adv Crit Care. 2011; 22(2): 161-8.
9. Hamilton Niagara Haldimand Brant Local Health Integration Network. **Engaging seniors: Better practices for falls prevention.** Available from:  
[http://www.hnhblhin.on.ca/uploadedFiles/Public\\_Community/Our\\_Priorities/Falls\\_Prevention/EngagingSeniorsPDF.pdf](http://www.hnhblhin.on.ca/uploadedFiles/Public_Community/Our_Priorities/Falls_Prevention/EngagingSeniorsPDF.pdf)
10. Hanley, A., Silke, C., Murphy, J. **Community-based health efforts for the prevention of falls in the elderly.** Clin Interv Aging. 2011; 6:19-25.
11. Hill, A.M. et al. **Evaluation of the sustained effect of inpatient falls prevention education and predictors of a falls after hospital discharge – follow-up to a randomized controlled trial.** J Gerontol A Biol Sci Med Sci. 2011; 66(9): 1001-12.
12. Huang, T.T., Yang, L.H., Liu, C.Y. **Reducing the fear of falling among community-dwelling elderly adults through cognitive-behavioural strategies and intense Tai Chi exercise: A randomized controlled trial.** J Adv Nurs. 2011; 67(5): 961-71.
13. Jones, D., Whitaker, T. **Preventing falls in older people: Assessment and interventions.** Nurs Stand. 2011; 25(52): 50-56. Link to Abstract

14. Kelly, D.M., Frick, E.M., Hale, L.S. **How the medication review can help to reduce risk of falls in older patients.** JAAPA. 2011; 24(4): 30-4, 55.
15. Kim, D.H., Brown, R.T., Ding, E.L., Kiel, D.P., Berry, S.D. **Dementia medications and risk of falls, syncope, and related adverse events: Meta-analysis of randomized controlled trials.** J Am Geriatr Soc. 2011; 59(6): 1019-31.
16. Koczy, P., et al. **Effectiveness of a multifactorial intervention to reduce physical restraints in nursing home residents.** J Am Geriatr Soc. 2011; 59(2): 333-9.
17. Kuptniratsaikul, V., Praditsuwan, R., Assantachai, P., Ploypetch, T., Udompunturak, S., Pooliam, J. **Effectiveness of simple balancing training program in elderly patients with history of frequent falls.** Clin Interv Aging. 2011; 6: 111-7.
18. Kwan, M.M., Lin, S.I., Chen, C.H., Close, J.C., Lord, S.R. **Minimal chair height standing ability is independently associated with falls in Taiwanese older people.** Arch Phys Med Rehabil. 2011; 92(7): 1080-5.
19. Landers, M.R., Durand, C., Powell, D.S., Dibble, L.E., Young, D.L. **Development of a scale to assess avoidance behavior due to a fear of falling: The Fear of Falling Avoidance Behavior Questionnaire.** Phys Ther. 2011; 91(8): 1253-65.
20. Laybourne, A.H., Biggs, S., Martin, F.C. **Predicting habitual physical activity using coping strategies in older fallers engaged in falls-prevention exercise.** J Aging Phys Act. 2011; 19(3): 189-200.
21. Leung, D.P., Chan, C.K., Tsang, H.W., Tsang, W.W., Jones, A.Y. **Tai chi as an intervention to improve balance and reduce falls in older adults: A systematic and meta-analytical review.** Altern Ther Health Med. 2011; 17(1): 40-8.
22. Lord, S.R., Delbaere, K., Tiedemann, A., Smith, S.T., Sturnieks, D.L. **Implementing falls preventing research into policy and practice: An overview of a new National Health and Medical Research Council Partnership Grant.** NSW Public Health Bull. 2011; 22(3-4): 84-7.
23. Luo, H., Lin, M., Castle, N. **Physical restraint use and falls in nursing homes: A comparison between residents with and without dementia.** Am J Alzheimers Dis Other Demen. 2011; 26(1); 44-50.
24. Nyman, S.R., Victor, C.R. **Older people's recruitment, sustained participation, and adherence to falls prevention interventions in institutional settings: a supplement to the Cochrane systematic review.** Age Ageing. 2011; 40(4): 430-6.
25. Oh-Park, M., Xue, X., Holtzer, R., Verghese, J. **Transient versus persistent fear of falling in community-dwelling older adults: Incidence and risk factors.** J Am Geriatr Soc. 2011; 59(7):1225-31.
26. Quach, L. et al. **The nonlinear relationship between gait speed and falls: the Maintenance of Balance, Independent Living, Intellect and Zest in the Elderly of Boston Study.** J Am Geriatr Soc. 2011; 59(6): 1069-7.
27. Rose, D.J. **Reducing the risk of falls among older adults: the Fallproof Balance and Mobility Program.** Curr Sports Med Rep. 2011; 10(3): 151-6.
28. Rossat, A., et al. **Association between benzodiazepines and recurrent falls: A cross-sectional elderly population-based study.** J Nutr Health Aging. 2011; 15(1): 72-7.
29. Schoene, D., Lord, S.R., Verhoef, P., Smith, S.T. **A novel video game-based device for measuring stepping performance and fall risk in older people.** Arch Phys Med Rehabil. 2011; 92(6): 947-53.
30. Segev-Jacobovski, O., Herman, T., Yogev-Seligmann, G., Mirelman, A., Giladi, N., Hausdorff, J.M. **The interplay between gait, falls and cognition: can cognitive therapy reduce fall risk?** Expert Rev Neurother. 2011; 11(7): 1057-75.
31. Setti, A., Burke, K.E., Kenny, R.A., Newell, F.N. **Is inefficient multisensory processing associated with falls in older people?** Exp Brain Res. 2011; 209(3): 375-84.

32. Sherrington, C., Tiedemann, A., Fairhall, N., Close, J.C., Lord, S.R. **Exercise to prevent falls in older adults: An updated meta-analysis and best practice recommendations.** NSW Public Health Bull. 2011; 22(3-4): 78-83.
33. Shubert, T.E., McCulloch, K., Hartman, M., Giuliani, C.A. **The effect of an exercise-based balance intervention on physical and cognitive performance for older adults: A pilot study.** J Geriatr Phys Ther. 2010; 33(4): 157-64.
34. Stubbs, B. **Falls in older adult psychiatric patients: equipping nurses with knowledge to make a difference.** J Psychiatr Ment Health Nurs. 2011;18(5): 457-62.
35. Suman, S., et al. **Community-based fall assessment compared with hospital-based assessment in community-dwelling older people over 65 at high risk of falling: A randomized study.** Aging Clin Exp Res. 2011; 23(1); 35-41.
36. Titler, M.G., Shever, L.L., Kanak, M.F., Picone, D.M., Qin, R. **Factors associated with falls during hospitalization in an older adults population.** Res Theory Nurs Pract. 2011; 25(2): 127-48.
37. van der Marck, M.A., Overeem, S., Klok, P.C., Bloem, B.R., Munneke, M. **Evaluation of the falls telephone: an automated system for enduring assessment of falls.** J Am Geriatr Soc. 2011; 59(2): 340-4.
38. Viccaro, L.J., Perera, S., Studenski, S.A. **Is timed up and go better than gait speed in predicting health, function and falls in older adults?** J Am Geriatr Soc. 2011; 59(5): 887-92.
39. Walker, W., Porock, D., Timmons, S. **The importance of identity in falls prevention.** Nurs Older People. 2011; 23(2): 21-6.
40. Wilson, N.M., et al. **Associations between drug burden index and falls in older people in residential aged care.** J Am Geriatr Soc. 2011; 59(5): 875-80.
41. Wood, J.M., et al. **Risk of falls, injurious falls and other injuries resulting from visual impairment among older adults with age-related macular degeneration.** Invest Ophthalmol Vis Sci. 2011; 52(8); 5088-92.
42. Wright, A.D., Laing, A.C. **The influence of novel compliant floors on balance control in elderly women: A biomechanical study.** Accid Anal Prev. 2011; 43(4): 1480-7.
43. Yamada, M., et al. **The reliability and preliminary validity of game-based fall risk assessment in community-dwelling older adults.** Geriatr Nurs. 2011; 32(3): 188-94.
44. Zheng, J.J., Delbaere, K., Close, J.C., Sachdev, P.S., Lord, S.R. **Impact of white matter lesions on physical functioning and falls risk in older people: a systematic review.** Stroke. 2011; 42(7): 2086-90.

To receive a copy of any article(s), please contact the / Pour recevoir une copie d'article contactez le

[SHRTN Library Service / Service bibliothèque de RTRSPA](#)

When making a request, provide the corresponding number(s) for the article(s) you would like to receive in full text.  
Due to copyright policies, we are only able to provide articles via fax or mail.

Indiquez le numéro correspondant à l'article que vous désirez recevoir en texte intégral. Veuillez noter que la loi sur les droits d'auteurs nous permet de vous faire parvenir les articles par télécopieur ou par courrier seulement.

SHRTN is funded in part by the Ontario Ministry of Health and Long Term Care in conjunction with its partners listed here.

RTRSPA est financé en partie par le Ministère de la santé et des soins de longue durée de l'Ontario conjointement avec ces partenaires suivants énumérés ici.

